



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT



6100

SUB-COMPACT BATTERY-POWERED RIDER SWEEPER

- Effectively capture dust and debris with efficient, one-pass sweeping
- 360-degree sightlines and superb maneuverability even through standard doorways
- Reduced maintenance and repair costs with reliable, high-quality Tennant*True*® parts and engineering

EXPERTLY-DESIGNED 6100 SWEEPER DELIVERS VERSATILE PERFORMANCE AND MANEUVERABILITY



With its quality engineering and fume-free battery power, the 6100 delivers virtually continuous operation on a variety of floor surfaces. Efficient one-pass cleaning offers easy maneuverability through tight spaces, helping increase productivity.

WORRY-FREE DURABILITY

Solid steel frame, hydraulic oil system and no-tool brush changes keep the reliable 6100 up and running – increasing machine uptime.


EXCELLENT SWEEPING AND DUST CONTROL

This highly versatile sweeper cleans a variety of surfaces from smooth concrete to finished floors including carpet. The 6100 reduces filter cleaning time and air-borne dust with its patented VCS® filter-shaking system.

EASY OPERATION INCREASES PRODUCTIVITY

With excellent sightlines and easy-to-use controls, the compact 6100 helps operators maneuver with confidence – even through standard doorways. The easy-glide hopper can be quickly removed using the sturdy handle and built-in wheels.

INSIDE THE 6100



DELIVERING VERSATILITY AND ACCESSIBILITY

The 6100's small and maneuverable frame makes it easy to move through most doorways, congested spaces, and on/off elevators.

MUST-HAVE OPTIONS

Extend cleaning reach

Access hard-to-reach areas with the optional instantly activated vacuum wand or choose the QuickMop® dry-mop attachment for a wider cleaning path.

Clean hard and soft floors

Choose the carpet-care package and use the 6100 to clean a variety of surfaces including concrete, tile, carpet and more.

Increase productivity

Dual side brushes expand the machine's sweeping reach to clean more floor space in less time.

A **360-degree sightlines** allows operator to quickly and confidently move through congested spaces with maximum maneuverability.

B **Protect fixtures and equipment**, as well as the sweeper, with the rear bumper and corner rollers.

C **Four-sided roto-molded plastic Duramer™ hopper** increases time between debris dumping and ensures zero hopper corrosion.

D **Slow dusty airflow** and stop heavier dust and moisture from reaching the panel filter with Perma-filter.™

E **Simplify maintenance** with no-tool brush and filter changes.

F **Maintain maximum cleaning power** with the patented AutoAdjust™ brush cavity that automatically adjusts as bristles shorten.

- Reduce rework, labor and safety costs by using only TennantTrue parts and service.
- Ensure optimal cleaning performance by selecting a TennantTrue Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging TennantTrue parts and service.
- Simplify budgeting by bundling TennantTrue service plans, including parts, into the purchase or financing of your machine.
- Manage your cleaning program with real-time machine data from Tennant's IRIS™ technology.

Lease. Pre-Owned. Rent. Tennant has flexible options that get you the machines you need, however you need them.

6100 SUB-COMPACT BATTERY-POWERED RIDER SWEEPER

SWEEPING SYSTEM

Cleaning path	
Single side brush	760 mm
Dual side brush	970 mm
Main brush	
Main brush length (tubular)	560 mm
Main brush drive	Belt
Main brush change	No-tool
Side brush diameter	410 mm
Debris hopper	
Volume capacity	85 L
Weight capacity	91 kg

DUST CONTROL SYSTEM

Filter area	3.1 m ²
Vacuum fan speed	4,375 rpm

PROPELLING SYSTEM

Battery Package (36 V)	220 Ah
Propelling motor	0.56 kW
Propel speed forward (variable to)	8 km/h
Propel speed reverse (variable to)	4.8 km/h
Gradeability	
Full hopper	8° / 14.1%
Empty hopper	10° / 17.6%

MACHINE SPECIFICATIONS

Length	1520 mm
Width	810 mm
Height	1180 mm
Weight (net)	281 kg
Weight (220 Ah battery package)	503 kg
Minimum aisle turn	1830 mm

WARRANTY

See your local representative for warranty information.

Specifications subject to change without notice.

SEEING IS BELIEVING

For a demonstration or additional information,
call +1.800.553.8033 or email info@tennantco.com

Tennant Australia
Unit 11, 4 Southridge Street
Eastern Creek NSW 2766

T: 1800 226 843 (FREE CALL)
T: +61 2 9839 9700

www.tennantco.com.au
contactus@tennantco.com

Tennant New Zealand
Unit 5, 103 Cryers Road
East Tamaki
Auckland 2013

T: +64 9 253 9013
F: +64 9 253 9015

www.tennantco.co.nz
contactus@tennantco.com