



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

Prepared to U.S. OSHA, Mexico NOM-018-STPS-2015, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

### 1. PRODUCT IDENTIFICATION

**1.1 TRADE NAME (AS LABELED):**

SYNONYMS:

CAS#:

PRODUCT #:

**1.2 PRODUCT USE:**

CHEMICAL SHIPPING NAME/CLASS:

U.N. NUMBER:

**1.3 NORTH AMERICA:**

MANUFACTURER'S NAME:

ADDRESS:

BUSINESS PHONE:

**1.4 EUROPE:**

MANUFACTURER'S NAME:

ADDRESS:

BUSINESS PHONE:

EMERGENCY PHONE:

EMAIL:

DATE OF CURRENT REVISION:

DATE OF LAST REVISION:

**ECO-ECE Electrostatic Conductive Epoxy B**

N/A

Mixture

9015279

Activator part B for Epoxy primer floor coating

Corrosive Liquid, n.o.s (Contains Amine), PGI

UN1760

**Tennant Company**

701 North Lilac Drive, P.O. Box 1452, Minneapolis, MN 55440-1452

1-763-540-1200

**Tennant Benelux N.V.**

Roderveldaan 3, 2600 Antwerpen, Belgium

+32-3-2179411

800-424-9300 (Chemtrec U.S. – 24 Hrs)

1-703-537-3887 (Chemtrec Europe – 24 Hrs)

[info@tennantco.com](mailto:info@tennantco.com)

November 5, 2019

March 11, 2019

### 2. HAZARD IDENTIFICATION

**EMERGENCY OVERVIEW:** This product is a clear liquid with no odor.

**Health Hazards:** Exposure may cause skin burns and eye damage. May cause allergic reaction of the skin. May be harmful if inhaled or swallowed. Contains chemicals believed to be a reproductive hazard.

**Flammability Hazards:** This product is a nonflammable liquid with a flash point of >200°F (>93°C).

**Reactivity Hazards:** None known

**Environmental Hazards:** The Environmental effects of this product have not been investigated. Release of this product may have significant adverse effects in the aquatic environment.

US DOT SYMBOLS



CANADA (WHMIS) SYMBOLS

Complies with WHMIS 2015

EUROPEAN and (GHS) Hazard Symbols



Signal Word: **Danger!**

**2.1 GHS LABELING AND CLASSIFICATION:**

This product does meet the definition of a hazardous substance or preparation as defined by: OSHA HCS 2012 (29 CFR 1910. 1200) AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC, 2015/830/EU and subsequent Directives AND Mexico NOM-018-STPS-2015.

**EU HAZARD CLASSIFICATION OF INGREDIENTS PER DIRECTIVE 1272/2008/EC:**

**Index Number:**

EC# 202-859-9 Annex VI Index# 603-057-00-5

EC# 239-556-6 is not listed in Annex VI

EC# 600-013-7 is not listed in Annex VI

Substances not listed either individually or in group entries must be self-classified.

**Component(s) Contributing to Classification(s)**

Benzyl Alcohol, Amine, Epoxy Resin, Bisphenol A



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

### **2.2 LABEL ELEMENTS:**

#### **GHS Hazard Classification(s):**

Acute Toxicity Category 4 (Oral)  
Acute Toxicity Category 4 (Dermal)  
Acute Toxicity Category 4 (Inhalation)  
Skin Corrosion Category 1  
Skin Sensitizer Category 1  
Reproductive Toxicity Category 1  
Aquatic Chronic Category 3

#### **Hazard Statement(s):**

H302: Harmful if swallowed  
H312: Harmful in contact with skin  
H332: Harmful if inhaled  
H314: Causes severe skin burns and eye damage  
H317: May cause allergic skin reaction  
H360: May damage fertility or the unborn child  
H412: Harmful to aquatic life with long lasting effects

#### **Prevention Statement(s):**

P201: Obtain special instructions before use.  
P202: Do not handle until all safety precautions have been read and understood.  
P260: Do not breathe dust/fume/gas/mist/vapours/spray.  
P272: Contaminated work clothing should not be allowed out of the workplace.  
P264: Wash thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P271: Use only outdoors or in a well-ventilated area.  
P273: Avoid release to the environment.  
P280: Wear protective gloves, protective clothing/eye protection/face protection.

#### **Response Statements:**

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P363: Wash contaminated clothing before reuse.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P310: Immediately call a POISON CENTER/doctor.  
P321: Specific treatment (See Section 4 of this SDS).  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P362+P364: Take off contaminated clothing and wash it before.  
P333+P313: If skin irritation or rash occurs: Get medical advice/attention.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P308+P313: IF exposed or concerned: Get medical advice/attention.  
P391: Collect spillage.

#### **Storage Statements:**

P405: Store locked up.

#### **Disposal Statements:**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations

### **2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:**

**SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE:** The most significant routes of overexposure for this product are by contact with skin, respiratory system and eyes. The symptoms of overexposure are described below.

#### **ACUTE:**

**INHALATION:** May cause respiratory irritation. May be harmful if inhaled.

**CONTACT WITH SKIN:** Corrosive: May cause skin burns.

**EYE CONTACT:** Corrosive: May cause eye damage.

**INGESTION:** Harmful if swallowed. May cause nausea or vomiting if swallowed.

**CHRONIC:** This product contains chemicals which are reported to be a reproductive hazard.

**TARGET ORGANS:** **Acute:** Skin, Eyes **Chronic:** Reproductive system



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

### 3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS #	Hazard Classification
Benzyl Alcohol	20-50%	100-51-6	202-859-9	H302, H332: Acute Toxicity Cat 4 (Oral, Inhalation)
Amine	20-50%	15520-10-2	239-556-6	H314: Skin Corr Cat 1, H318: Eye Dam Cat 1
Epoxy Resin	10-20%	25085-99-8	600-013-7	H319: Eye Irritant Cat 2, H315: Skin Irritant Cat 2, H317: Skin Sensitizer Category 1, Aquatic Chronic Category 2
Bisphenol A	5-10%	80-05-7	201-245-8	Eye Damage Cat 1, Skin Sensitization Cat 1, STOT SE Cat 3, Reproductive Cat 1
Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers). Exact concentrations withheld as trade secret.				

### 4. FIRST-AID MEASURES

#### 4.1 DESCRIPTION OF FIRST AID MEASURES:

**EYE CONTACT:** If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention.

**SKIN CONTACT:** Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

**INHALATION:** If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

**INGESTION:** If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

**MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE:** Some individuals may develop skin or respiratory sensitization from exposure.

#### 4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

Skin burns and eye damage. May cause an allergic skin reaction. May be harmful if swallowed, inhaled, or in contact with skin.

**4.3 RECOMMENDATIONS TO PHYSICIANS:** Treat symptoms and eliminate overexposure.

### 5. FIRE-FIGHTING MEASURES

#### 5.1 FIRE EXTINGUISHING MATERIALS:

**FIRE EXTINGUISHING MATERIALS:** Use fire extinguishing methods below:

<u>Water Spray:</u> No	<u>Carbon Dioxide:</u> Yes
<u>Foam:</u> Yes	<u>Dry Chemical:</u> Yes
<u>Halon:</u> Yes	<u>Other:</u> Any "C" Class

#### 5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

<u>Explosion Sensitivity to Mechanical Impact:</u> No
<u>Explosion Sensitivity to Static Discharge:</u> No

#### 5.3 SPECIAL FIRE-FIGHTING PROCEDURES:


Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B HMIS RATING SYSTEM

### NFPA RATING SYSTEM



HAZARDOUS MATERIAL IDENTIFICATION SYSTEM			
HEALTH HAZARD (BLUE)	3		
FLAMMABILITY HAZARD (RED)	1		
PHYSICAL HAZARD (YELLOW)	0		
PROTECTIVE EQUIPMENT			
EYES	RESPIRATORY	HANDS	BODY
	See Sect 8		See Sect 8
For Routine Industrial Use and Handling Applications			

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

## 6. ACCIDENTAL RELEASE MEASURES

### 6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See section 8.2 for Exposure Controls.

### 6.2 ENVIRONMENTAL PRECAUTIONS:

Precautions should be taken to prevent exposure to the environment.

**6.3 SPILL AND LEAK RESPONSE:** Stop the flow of material, if this can be done safely. Floor may be slippery; use care to avoid falling. Dike and contain the spill with inert material (sand, earth, fuller's earth, etc.) and if appropriate, transfer the liquid and solid dike material to containers for disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Wash clothing before reuse. Keep spill out of all sewers and open bodies of water. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

## 7. HANDLING and STORAGE

### 7.1 PRECAUTIONS FOR SAFE HANDLING:

Use good hygiene practices. As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Use good hygiene practices.

### 7.2 STORAGE AND HANDLING PRACTICES:

Store in original container. Keep container closed. Store in a cool, dry location. Avoid exposure to ignition sources and incompatible materials. Store inside in a cool (below 100°F or 37.5°C), dry place.

### 7.3 SPECIFIC USES:

See section 1.2 for details.

## 8. EXPOSURE CONTROLS - PERSONAL PROTECTION

### 8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Phenyl Carbinol	100-51-6	1.230 mg/kg	2 mg/kg
Amine	15520-10-2	Not established	Not established
Epoxy Resin	25085-99-8	Not established	Not established
Bisphenol A	80-05-7	Not Listed	Not Listed



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

### 8.2 EXPOSURE CONTROLS:

**VENTILATION AND ENGINEERING CONTROLS:** Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

*The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.*

**RESPIRATORY PROTECTION:** Maintain airborne contaminant concentrations below guidelines listed above. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

**EYE PROTECTION:** Safety glasses or chemical splash goggles are recommended to avoid contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

**HAND PROTECTION:** Chemical resistant gloves are recommended to prevent contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

**BODY PROTECTION:** Use as appropriate to prevent skin contact. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

## 9. PHYSICAL and CHEMICAL PROPERTIES

### 9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

**APPEARANCE (Physical State) and COLOR:** This product is a clear liquid with no odor.

**ODOR:** None

**ODOR THRESHOLD:** Not Available

**pH:** Not Applicable

**MELTING/FREEZING POINT:** Not Available

**BOILING POINT:** 193-428°F (89-220°C)

**FLASH POINT:** >200°F (93.3°C)

**EVAPORATION RATE (n-BuAc=1):** n-Butyl Acetate

**FLAMMABILITY (SOLID, GAS):** Not Applicable

**UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS:** Not Available

**VAPOR PRESSURE (mm Hg @ 20°C (68°F):** Not Available

**VAPOR DENSITY:** Heavier than air

**RELATIVE DENSITY:** 0.991

**DENSITY:** Not Available

**SPECIFIC GRAVITY:** Not Available

**SOLUBILITY IN WATER:** Insoluble

**WEIGHT PER GALLON:** Not Available

**PARTITION COEFFICIENT (n-octanol/water):** Not Available

**AUTO-IGNITION TEMPERATURE:** Not Available

**DECOMPOSITION TEMPERATURE:** Not Available

**VISCOSITY:** Not Available

**VOC g/l / Lb/gal:** Not Available

### 9.2 OTHER INFORMATION:

No additional information available

## 10. STABILITY and REACTIVITY

**10.1 REACTIVITY:** This product is not reactive.

**10.2 STABILITY:** Stable under conditions of normal storage and use.

**10.3 POSSIBILITY OF HAZARDOUS REACTIONS:** Will not occur under normal conditions.

**10.4 CONDITIONS TO AVOID:** See Incompatible materials.

**10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:** This product may react with oxidizing agents and strong alkalis.



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

**10.6 HAZARDOUS DECOMPOSITION PRODUCTS:** Incomplete combustion for products like this may generate highly poisonous carbon dioxide, carbon monoxide, nitrogen oxides.

### 11. TOXICOLOGICAL INFORMATION

#### 11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

##### **TOXICITY DATA:**

##### **Benzyl Alcohol CAS# 100-51-6**

Oral LD50, Rat, 1.23 mg/kg  
Dermal LD50, Rat, 2.0 mg/kg  
Inhalation LC50, Rat, 0.1

##### **Epoxy Resin CAS# 25085-99-8**

Oral LD50, Rat, 11400 mg/kg  
Oral LD50, Rabbit, >2000 mg/kg  
Dermal LD50, Rat, 11400 mg/kg  
Dermal LD50, Rabbit, >2000 mg/kg

##### **Bisphenol A CAS# 80-05-7**

Oral LD50, RAT, 2000-5000 mg/kg  
Dermal LD50, Rabbit, 6400 mg/kg  
Inhalation LC50, Rat, 170 mg/m<sup>3</sup> (6H)

**SUSPECTED CANCER AGENT:** Ingredients within this product are not found on the following lists: FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are not considered to be, or suspected to be, cancer-causing agents by these agencies.

**IRRITANCY OF PRODUCT:** This product may be irritating to skin, eyes or respiratory system

**SENSITIZATION TO THE PRODUCT:** This product is considered to be a skin sensitizer

**REPRODUCTIVE TOXICITY INFORMATION:** This product does contain chemicals suspected to be hazardous to the human reproductive system.

**MUTAGENICITY INFORMATION:** This product does not contain a component that is suspected to be a mutagenicity hazard.

**SPECIFIC TARGET ORGAN TOXICITY – SINGLE EXPOSURE:** Data not sufficient for classification.

**SPECIFIC TARGET ORGAN TOXICITY – REPEATED EXPOSURE:** Data not sufficient for classification.

### 12. ECOLOGICAL INFORMATION

#### 12.1 TOXICITY:

##### **Chemical Name**

Bisphenol A 80-05-7

##### **Algae/aquatic plants**

2.5: 96 h  
Pseudokirchneriella  
subcapitata mg/L EC50

##### **Fish**

3.6 - 5.4: 96 h Pimephales  
promelas mg/L LC50 flow-  
through 4.0 - 5.5: 96 h  
Pimephales promelas mg/L  
LC50 static 4: 96 h  
Oncorhynchus mykiss mg/L  
LC50 9.9: 96 h Brachydanio  
rerio mg/L LC50 static

##### **Crustacea**

10.2: 48 h Daphnia magna mg/L  
EC50 3.9: 48 h Daphnia magna  
mg/L EC50 9.2 - 11.4: 48 h  
Daphnia magna mg/L EC50  
Static

#### 12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

#### 12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

#### 12.4 MOBILITY IN SOIL:

No specific data available on this product.

#### 12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

#### 12.6 OTHER ADVERSE EFFECTS:

This product may cause harm to plants, animals or aquatic life.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

#### 12.7 WATER ENDANGERMENT CLASS:

Not water endangering in accordance with EU Guideline 91/155-EWG.





# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

### 12.8 SPECIFIC AVAILABLE COMPONENT INFORMATION:

No additional data available

## 13. DISPOSAL CONSIDERATIONS

### 13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

### 13.2 EU Waste Code:

Not determined.

## 14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

**U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS:** This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

### **BULK SHIPMENTS WITHIN U.S.:**

#### 14.1 PROPER SHIPPING NAME:

Polyamines, liquid, corrosive, N.O.S (Contains Amine)

#### 14.2 HAZARD CLASS NUMBER and DESCRIPTION:

Class 8, Corrosive

#### 14.3 UN IDENTIFICATION NUMBER:

UN1760

#### 14.4 PACKING GROUP:

II

#### 14.5 DOT LABEL(S) REQUIRED:

Corrosive

**NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER:** 154

#### **RQ QUANTITY:**

NA

**14.6 MARINE POLLUTANT:** None of the components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

#### **14.7 SPECIAL PRECAUTIONS FOR USER:**

None

### 14.8 INTERNATIONAL TRANSPORTATION:

INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA): This product is considered as dangerous goods.

INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO): This product is considered as dangerous goods.

### 14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is considered by the United Nations Economic Commission for Europe to be dangerous goods.

## 15. REGULATORY INFORMATION

### 15.1 UNITED STATES REGULATIONS:

**U.S. SARA REPORTING REQUIREMENTS:** The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

**U.S. SARA THRESHOLD PLANNING QUANTITY:** There are no specific Threshold Planning Quantities for the components of this product. The default Federal SDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

**U.S. CERCLA REPORTABLE QUANTITY (RQ):** None

**U.S. TSCA INVENTORY STATUS:** The components of this product are listed on the TSCA Inventory or are exempted from listing.

**OTHER U.S. FEDERAL REGULATIONS:** None

**CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):**



**WARNING!** This product can expose you to chemicals such as Bisphenol A, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to [WWW.P65Warning.ca.gov](http://WWW.P65Warning.ca.gov).

### 15.2 CANADIAN REGULATIONS:

**CANADIAN DSL/NDL INVENTORY STATUS:** The components of this product are on the DSL Inventory, or are exempted from listing.

**OTHER CANADIAN REGULATIONS:** Not applicable.



# SAFETY DATA SHEET

## ECO-ECE Electrostatic Conductive Epoxy B

### CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all of the information required by those regulations.

**CANADIAN WHMIS CLASSIFICATION and SYMBOLS:** Complies with WHMIS 2015

### 15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for full Details

**15.4 AUSTRALIAN INFORMATION FOR PRODUCT:** The components of this product are listed on the International Chemical Inventory list.

### 15.5 JAPANESE INFORMATION FOR PRODUCT:

**JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS:** The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

**JAPANESE ENCS INVENTORY:** The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

**POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW:** No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.

### 15.6 MEXICO REGULATIONS:

#### **HARMONIZED SYSTEM FOR THE IDENTIFICATION AND COMMUNICATION OF HAZARD AND RISKS FROM**

**HAZARDOUS CHEMICALS IN THE WORKPLACE:** This product has been classified per NOM-018-STPS-2015.

### 15.7 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed

Philippines Inventory of Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftlist List of Toxic Substances: Listed

U.S. TSCA: Listed

## 16. OTHER INFORMATION

**PREPARED BY:** Chris Eigbrett – (MSDS to GHS Compliance)

**DATE OF PRINTING:** November 5, 2019

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Tennant Company assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, Tennant Company assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

**END OF SDS SHEET**