

Eco-UVS™ Part B

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS Standards, Australian WorkSafe, Japanese Industrial Standard JIS Z 7250:2000, and European Directives

1. PRODUCT IDENTIFICATION

Eco-UVS™ Part B 1.1 TRADE NAME (AS LABELED):

SYNONYMS: Not Available CAS#: Mixture PRODUCT #: 9000437

1.2 PRODUCT USE: Part B of a three-component system

CHEMICAL SHIPPING NAME/CLASS: Not Regulated N/A

U.N. NUMBER:

1.3 NORTH AMERICA:

MANUFACTURER'S NAME: **Tennant Company**

701 North Lilac Drive, P.O. Box 1452, Minneapolis, MN 55440-1452 ADDRESS:

1-763-540-1200 **BUSINESS PHONE:**

1.4 EUROPE: MANUFACTURER'S NAME:

ADDRESS: Roderveldaan 3, 2600 Antwerpen, Belgium

BUSINESS PHONE: +32-3-2179411 **EMERGENCY PHONE:** 800-424-9300 (Chemtrec U.S. - 24 Hrs)

1-703-527-3887 (Chemtrec International – 24 Hrs)

EMAIL: info@tennantco.com DATE OF CURRENT REVISION: September 11, 2018

DATE OF LAST REVISION: May 28, 2015

2. HAZARD IDENTIFICATION

Tennant Benelux N.V.

EMERGENCY OVERVIEW: This product is a liquid.

Health Hazards: This product contains chemicals reported to be reproductive and carcinogen hazards. Flammability Hazards: This product is a non-flammable liquid with a flash point of >201°F (>94°C).

Reactivity Hazards: None known

Environmental Hazards: The Environmental effects of this product have not been investigated. Release of this

product may have significant adverse effects in the aquatic environment.

US DOT SYMBOLS CANADA (WHMIS) SYMBOLS EUROPEAN and (GHS) Hazard Symbols

See Section 14 Complies with WHMIS 2015

Signal Word: Warning!

2.1 GHS LABELING AND CLASSIFICATION:

CLASSIFICATION OF SUBSTANCE OR MIXTURE IN ACCORDANCE WITH 29 CFR 1200 (OSHA HCS) AND THE **EUROPEAN UNION DIRECTIVES:**

This product does meet the definition of a hazardous substance or preparation as defined by 29 CFR 1910. 1200 AND the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

EU HAZARD CLASSIFICATION OF INGREDIENTS:

Index Number:

EC# 278-355-8 Annex VI Index# 015-203-00-X

EC# 204-337-6 is not listed in Annex VI

EC# 202-849-4 Annex VI Index# 601-023-00-4

Substances not listed either individually or in group entries must be self classified.

Component(s) Contributing to Classification(s)

All Components in Section 3



Eco-UVS™ Part B

2.2 LABEL ELEMENTS:

GHS Hazard Classification(s):

Carcinogenicity Category 2

Reproductive Toxicity Category 2

Specific Target Organ Toxicity – Repeated Exposure - Category 2

Aquatic Chronic Category 3

Hazard Statement(s):

H351: Suspected of causing cancer

H361: Suspected of damaging fertility or the unborn child

H373: May cause damage to organs through prolonged or repeated exposure

H412: Harmful to aquatic life with long lasting effects

Prevention Statements(s):

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe dust/fumes/gas/mist/vapours/spray.

P273: Avoid release to the environment.

P280: Wear protective gloves/ protective clothing / eye and face protection.

Response Statement(s):

P308+P313: IF exposed or concerned: Get medical advice/attention.

Storage Statement(s):

P405: Store locked up. **Disposal Statement(s):**

P501: Dispose of contents/container in accordance with local/regional/national/international regulations.

2.3 HEALTH HAZARDS OR RISKS FROM EXPOSURE:

SYMPTOMS OF OVEREXPOSURE BY ROUTE OF EXPOSURE: The most significant routes of overexposure for this product are by contact with skin or eyes, inhalation and ingestion. The symptoms of overexposure are described below. **ACUTE:**

INHALATION: Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

CONTACT WITH SKIN: May cause skin irritation.

EYE CONTACT: Contact with the eye may cause irritation.

INGESTION: May be harmful if swallowed.

CHRONIC: Contains chemicals reported as a reproductive and cancer hazards.

TARGET ORGANS: Acute: Skin, Eyes Chronic: Organs

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Hazardous Ingredients:	WT%	CAS#	EINECS#	Hazard Classification
Diphenyl(2,4,6- trimethylbenzoyldiphenyl)phosphinoxid	3 - 7%	75980-60-8	278-355-8	Reproductive Cat 2
Benzophenone	3 - 7%	119-61-9	204-337-6	STOT RE Cat 2, Aquatic Chronic Cat 2
Ethyl Benzene	0.1 - 1%	100-41-4		Flammable Liquid Cat 2, Acute Toxicity Cat 4 (Inhalation), STOT RE Cat 2, Carcinogenicity Cat 2, Aspiration Toxicity Cat 1

Balance of other ingredients is less than 1% in concentration (or 0.1% for carcinogens, reproductive toxins, or respiratory sensitizers). Actual concentrations or identities have been withheld as trade secret.

4. FIRST-AID MEASURES

4.1 DESCRIPTION OF FIRST AID MEASURES:

EYE CONTACT: If product enters the eyes, open eyes while under gentle running water for at least 15 minutes. Seek medical attention.

SKIN CONTACT: Wash skin thoroughly with soap and water after handling. Seek medical attention if irritation develops and persists.

INHALATION: If breathing becomes difficult, remove victim to fresh air. If necessary, use artificial respiration to support vital functions. Seek medical attention.

Tennant Company



Eco-UVS™ Part B

INGESTION: If product is swallowed, call physician or poison control center for most current information. If professional advice is not available, do not induce vomiting. Never induce vomiting or give diluents (milk or water) to someone who is unconscious, having convulsions, or who cannot swallow. Seek medical advice. Take a copy of the label and/or SDS with the victim to the health professional.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Some individuals may develop skin sensitization from exposure.

4.2 SYMPTOMS AND EFFECTS, BOTH ACUTE AND DELAYED:

This product contains chemicals reported as a reproductive and carcinogen hazard.

4.3 RECOMMENDATIONS TO PHYSICIANS:

Treat symptoms and eliminate overexposure.

5. FIRE-FIGHTING MEASURES

5.1 FIRE EXTINGUISHING MATERIALS:

FIRE EXTINGUISHING MATERIALS: Use fire extinguishing methods below:

Water Spray:NoCarbon Dioxide:YesFoam:YesDry Chemical:YesHalon:YesOther:Any "C" Class


5.2 UNUSUAL FIRE AND EXPLOSION HAZARDS:

No data available

Explosion Sensitivity to Mechanical Impact: No Explosion Sensitivity to Static Discharge: No 5.3 SPECIAL FIRE-FIGHTING PROCEDURES:

Incipient fire responders should wear eye protection. Structural firefighters must wear Self-Contained Breathing Apparatus and full protective equipment. Isolate materials not yet involved in the fire and protect personnel. Move containers from fire area if this can be done without risk; otherwise, cool with carefully applied water spray. If possible, prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

	TIMIS KATING STSTEM								
ŀ	HAZARDOUS MATERIAL IDENTIFICATION SYSTEM								
	HEALTH HAZARD (BLUE)								
	FLAMM	1							
	PHYSIC	0							
	PROTECTIVE EQUIPMENT								
	EYES	RESPIRATORY	HANDS	Е	BODY				
	6	See Sect 8		Se	See Sect 8				
	For Routine Industrial Use and Handling Applications								

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

6. ACCIDENTAL RELEASE MEASURES

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES:

See section 8.2 for Exposure Controls.

6.2 ENVIRONMENTAL PRECAUTIONS:

Keep spilled material out of all sewers and open bodies of water.



Eco-UVS™ Part B

6.3 SPILL AND LEAK RESPONSE:

Stop the flow of material, if this can be done safety. Dike and contain the spill with inert material (sand, earth, fuller's earth, etc.) and if appropriate, transfer the liquid and solid diking material to containers for disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Wash clothing before reuse. Keep spill out of all sewers and open bodies of water. Dispose of in accordance with U.S. Federal, State, and local hazardous waste disposal regulations and those of Canada and its Provinces, those of Australia, Japan and EU Member States (see Section 13, Disposal Considerations).

7. HANDLING and STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING:

Use good hygiene practices. As with all chemicals, avoid getting this product ON YOU or IN YOU. Wash thoroughly after handling this product. Use good hygiene practices.

7.2 STORAGE AND HANDLING PRACTICES:

Store in original container. Keep container closed. Store in a cool, dry location. Avoid exposure to ignition sources and incompatible materials. Store inside in a cool (below 100°F or 37.5°C), dry place.

7.3 SPECIFIC USES:

See section 1.2 for details.

8. EXPOSURE CONTROLS - PERSONAL PROTECTION

8.1 EXPOSURE PARAMETERS:

Chemical Name	CAS#	ACGIH TLV	OSHA TWA
Diphenyl(2,4,6-trimethylbenzoyldiphenyl)phosphinoxid	75980-60-8	Not Listed	Not Listed
Benzophenone	119-61-9	Not Listed	Not Listed
Ethyl Benzene	100-41-4	20 ppm	100 ppm / 435 mg/m ³

8.2 EXPOSURE CONTROLS:

VENTILATION AND ENGINEERING CONTROLS: Use with adequate ventilation to ensure exposure levels are maintained below the limits provided above.

The following information on appropriate Personal Protective Equipment is provided to assist employers in complying with OSHA regulations found in 29 CFR Subpart I (beginning at 1910.132) or equivalent standard of Canada, or standards of EU member states (including EN 149 for respiratory PPE, and EN 166 for face/eye protection), and those of Japan. Please reference applicable regulations and standards for relevant details.

RESPIRATORY PROTECTION: Maintain airborne contaminant concentrations below guidelines listed above. If necessary, use only respiratory protection authorized in the U.S. Federal OSHA Respiratory Protection Standard (29 CFR 1910.134), equivalent U.S. State standards, Canadian CSA Standard Z94.4-93, the European Standard EN149, or EU member states.

EYE PROTECTION: Safety glasses or chemical splash goggles are required to avoid contact. If necessary, refer to U.S. OSHA 29 CFR 1910.133, Canadian Standards, and the European Standard EN166, Australian Standards, or relevant Japanese Standards.

HAND PROTECTION: Chemical resistant gloves are required to prevent contact. If necessary, refer to U.S. OSHA 29 CFR 1910.138, the European Standard DIN EN 374, the appropriate Standards of Canada, Australian Standards, or relevant Japanese Standards.

BODY PROTECTION: Use as appropriate to prevent skin contact. If necessary, refer to appropriate Standards of Canada, or appropriate Standards of the EU, Australian Standards, or relevant Japanese Standards. If a hazard of injury to the feet exists due to falling objects, rolling objects, where objects may pierce the soles of the feet or where employee's feet may be exposed to electrical hazards, use foot protection, as described in U.S. OSHA 29 CFR 1910.136.

9. PHYSICAL and CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES:

APPEARANCE (Physical State) and COLOR: This product is a liquid

ODOR: Not Available

ODOR THRESHOLD: Not Available

pH: Not Applicable

Tennant Company Page 4 of 8



Eco-UVS™ Part B

MELTING/FREEZING POINT: Not Available

BOILING POINT: >276°F (>136°C) FLASH POINT: Not Available

EVAPORATION RATE (n-BuAc=1): Not Available FLAMMABILITY (SOLID, GAS): Not Applicable

UPPER/LOWER FLAMMABILITY OR EXPLOSION LIMITS: Not Available

VAPOR PRESSURE (mm Hg @ 20°C (68°F): Not Available

VAPOR DENSITY: Not Available **RELATIVE DENSITY: Not Available**

DENSITY: 9.57 lbs/gal **SPECIFIC GRAVITY: 1.15**

SOLUBILITY IN WATER: Not Available WEIGHT PER GALLON: Not Available

PARTITION COEFFICENT (n-octanol/water): Not Available

AUTO-IGNITION TEMPERATURE: Not Available DECOMPOSITION TEMPERATURE: Not Available

VISCOSITY: Not Available 9.2 OTHER INFORMATION:

VOC g/l / Lb/gal: 0.1

PERCENT SOLIDS BY WEIGHT: 98.9% **PERCENT VOLATILE BY WEIGHT: 1.1%**

10. STABILITY and REACTIVITY

10.1 REACTIVITY:

This product is not reactive.

10.2 STABILITY:

Stable under conditions of normal storage and use.

10.3 POSSIBILITY OF HAZARDOUS REACTIONS:

Will not occur.

10.4 CONDITIONS TO AVOID:

Heat, flames and sparks.

10.5 MATERIALS WITH WHICH SUBSTANCE IS INCOMPATIBLE:

Chlorinated compounds.

10.6 HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon oxides.

11. TOXICOLOGICAL INFORMATION

11.1 INFORMATION ON TOXICOLOGICAL EFFECTS:

TOXICITY DATA:

Chemical Name Oral LD50 **Dermal LD50** Inhalation LC50

> 10 g/kg (Rat) Benzophenone = 3535 mg/kg (Rabbit)

119-61-9

Ethyl Benzene = 3500 mg/kg (Rat) = 15400 mg/kg (Rabbit) = 17.2 mg/L (Rat) 4 h 100-41-4

SUSPECTED CANCER AGENT: One or more of the ingredients within this product are found on the following lists:

FEDERAL OSHA Z LIST, NTP, IARC, or CAL/OSHA and therefore are considered to be, or suspected to be, cancer-causing agents by these agencies.

Ethylbenzene CAS# 100-41-4

IRRITANCY OF PRODUCT: This product may be irritating to skin and eyes.

SENSITIZATION TO THE PRODUCT: This product is not expected to be a skin sensitizer.

REPRODUCTIVE TOXICITY INFORMATION: This product does contain chemicals which are suspected to be a

reproductive hazard.

MUTAGENICITY INFORMATION: This product does not contain chemicals which are reported to be germ cell mutagen hazards.

SPECIFIC TARGET ORGAN TOXICITY - SINGLE EXPOSURE: Data not sufficient for classification.

Tennant Company Page 5 of 8



Eco-UVS™ Part B

SPECIFIC TARGET ORGAN TOXICITY - REPEATED EXPOSURE: Data not sufficient for classification.

12. ECOLOGICAL INFORMATION

12.1 TOXICITY:

Algae/aquatic plants

Benzophenone 119-61-9

Ethyl Benzene 4.6: 72 h Pseudokirchneriella

100-41-4 subcapitata mg/L EC50 438: 96 h Pseudokirchneriella subcapitata mg/L EC50 2.6 -11.3: 72 h Pseudokirchneriella subcapitata mg/L EC50 static

1.7 - 7.6: 96 h Pseudokirchneriella

subcapitata mg/L EC50 static

Crustacea

13.2 - 15.3: 96 h Pimephales promelas mg/L LC50 flow-

through

11.0 - 18.0: 96 h

Oncorhynchus mykiss mg/L LC50 static 4.2: 96 h

Oncorhynchus mykiss mg/L LC50 semi-static 7.55 - 11: 96 h Pimephales promelas mg/L LC50 flow-through 32: 96 h Lepomis macrochirus mg/L LC50 static 9.1 - 15.6: 96 h Pimephales promelas mg/L LC50 static 9.6: 96 h Poecilia

reticulata mg/L LC50 static

1.8 - 2.4: 48 h Daphnia magna

mg/L EC50

12.2 PERSISTENCE AND DEGRADABILITY:

No specific data available on this product.

12.3 BIOACCUMULATIVE POTENTIAL:

No specific data available on this product.

12.4 MOBILITY IN SOIL:

No specific data available on this product.

12.5 RESULTS OF PBT AND vPvB ASSESSMENT:

No specific data available on this product.

12.6 OTHER ADVERSE EFFECTS:

This product may cause harm to plants, animals or aquatic life.

ALL WORK PRACTICES MUST BE AIMED AT ELIMINATING ENVIRONMENTAL CONTAMINATION.

12.7 WATER ENDANGERMENT CLASS:

Not water endangering in accordance with EU Guideline 91/155-EWG.

12.8 SPECIFIC AVAILABLE COMPONENT INFORMATION:

No additional data available.

13. DISPOSAL CONSIDERATIONS

13.1 WASTE TREATMENT METHODS:

Waste disposal must be in accordance with appropriate U.S. Federal, State, and local regulations, those of Canada, Australia, EU Member States and Japan.

13.2 EU Waste Code:

Not determined.

14. TRANSPORTATION INFORMATION

US DOT, IATA, IMO, ADR:

U.S. DEPARTMENT OF TRANSPORTATION (DOT) SHIPPING REGULATIONS: This product is classified (per 49 CFR 172.101) by the U.S. Department of Transportation, as follows.

BULK SHIPMENTS WITHIN U.S.:

14.1 PROPER SHIPPING NAME: Not Regulated

14.2 HAZARD CLASS NUMBER and DESCRIPTION: N/A **14.3 UN IDENTIFICATION NUMBER:** N/A 14.4 PACKING GROUP: N/A 14.5 DOT LABEL(S) REQUIRED: N/A

NORTH AMERICAN EMERGENCY RESPONSE GUIDEBOOK NUMBER: N/A

RQ QUANTITY: NA



Eco-UVS™ Part B

14.6 MARINE POLLUTANT: None of the components of this product are designated by the Department of Transportation to be Marine Pollutants (49 CFR 172.101, Appendix B).

14.7 SPECIAL PRECAUTIONS FOR USER:

None

14.8 INTERNATIONAL TRANSPORTATION:

<u>INTERNATIONAL AIR TRANSPORT ASSOCIATION SHIPPING INFORMATION (IATA)</u>: This product is not considered as dangerous goods.

<u>INTERNATIONAL MARITIME ORGANIZATION SHIPPING INFORMATION (IMO)</u>: This product is not considered as dangerous goods.

14.9 TRANSPORT IN BULK ACCORDING TO ANNEX II OF MARPOL 73/78 AND IBC CODE:

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is not considered by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

15.1 UNITED STATES REGULATIONS:

U.S. SARA REPORTING REQUIREMENTS: The components of this product are not subject to the reporting requirements of Sections 302, 304, and 313 of Title III of the Superfund Amendments and Reauthorization Act.

U.S. SARA THRESHOLD PLANNING QUANTITY: There are no specific Threshold Planning Quantities for the components of this product. The default Federal MSDS submission and inventory requirement filing threshold of 10,000 lbs (4,540 kg) therefore applies, per 40 CFR 370.20.

U.S. CERCLA REPORTABLE QUANTITY (RQ): None

U.S. TSCA INVENTORY STATUS: The components of this product are listed on the TSCA Inventory or are exempted form listing.

OTHER U.S. FEDERAL REGULATIONS: None

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65):

WARNING! This product can expose you to chemicals such as Ethylbenzene, which is known to the State of California to cause cancer. For more information, go to <u>WWW.p65Warning.ca.gov</u>.

15.2 CANADIAN REGULATIONS:

CANADIAN DSL/NDSL INVENTORY STATUS: The components of this product are on the DSL Inventory, or are exempted from listing.

OTHER CANADIAN REGULATIONS: Not applicable.

CANADIAN ENVIRONMENTAL PROTECTION ACT (CEPA) PRIORITIES SUBSTANCES LISTS:

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by those regulations.

CANADIAN WHMIS CLASSIFICATION and SYMBOLS: Complies with WHMIS 2015.

15.3 EUROPEAN ECONOMIC COMMUNITY INFORMATION:

This product does meet the definition of a hazardous substance or preparation as defined by the European Union Council Directives 67/548/EEC, 1999/45/EC, 1272/2008/EC and subsequent Directives.

See Section 2 for full Details

15.4 AUSTRALIAN INFORMATION FOR PRODUCT: The components of this product are listed on the International Chemical Inventory list.

15.5 JAPANESE INFORMATION FOR PRODUCT:

JAPANESE MINISTER OF INTERNATIONAL TRADE AND INDUSTRY (MITI) STATUS: The components of this product are not listed as Class I Specified Chemical Substances, Class II Specified Chemical Substances, or Designated Chemical Substances by the Japanese MITI.

JAPANESE ENCS INVENTORY: The components of this product are on the ENCS Inventory as indicated in the section on International Chemical Inventories, below.

POISONOUS AND DELETERIOUS SUBSTANCES CONTROL LAW: No component of this product is a listed Specified Poisonous Substance under the Poisonous and Deleterious Substances Control Law.



Eco-UVS™ Part B

15.6 INTERNATIONAL CHEMICAL INVENTORIES:

Listing of the components on individual country Chemical Inventories is as follows:

Asia-Pac: Listed

Australian Inventory of Chemical Substances (AICS): Listed

Korean Existing Chemicals List (ECL): Listed

Japanese Existing National Inventory of Chemical Substances (ENCS): Listed Philippines Inventory if Chemicals and Chemical Substances (PICCS): Listed

Swiss Giftliste List of Toxic Substances: Listed

U.S. TSCA: Listed

16. OTHER INFORMATION

PREPARED BY: Chris Eigbrett – (MSDS to GHS Compliance)

DATE OF PRINTING: September 11, 2018

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of the need that information is current, applicable and suited to the circumstances of use. Tennant Company assumes no responsibility for injury to vendee or third party person proximately caused by the material if reasonable safety procedures are no adhered to as stipulated in the data sheet. Furthermore, Tenant Company assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed.

END OF SDS SHEET